


# LINGUETTE AD INCASTRO



## Linguette ad incastro

- A norma DIN 6885 forma A
- In acciaio C 45 K grezzo




Lunghezza Base	Lunghezza	H	Art.
2	8	2	<b>F1477 2 8</b>
2	12	2	<b>F1477 2 12</b>
2	16	2	<b>F1477 2 16</b>
2	20	2	<b>F1477 2 20</b>
3	8	3	<b>F1477 3 8</b>
3	10	3	<b>F1477 3 10</b>
3	12	3	<b>F1477 3 12</b>
3	14	3	<b>F1477 3 14</b>
3	16	3	<b>F1477 3 16</b>
3	18	3	<b>F1477 3 18</b>
3	20	3	<b>F1477 3 20</b>
3	25	3	<b>F1477 3 25</b>
3	32	3	<b>F1477 3 32</b>
3	36	3	<b>F1477 3 36</b>
4	8	4	<b>F1477 4 8</b>
4	10	4	<b>F1477 4 10</b>
4	12	4	<b>F1477 4 12</b>
4	14	4	<b>F1477 4 14</b>
4	16	4	<b>F1477 4 16</b>
4	18	4	<b>F1477 4 18</b>
4	20	4	<b>F1477 4 20</b>
4	22	4	<b>F1477 4 22</b>
4	25	4	<b>F1477 4 25</b>
4	28	4	<b>F1477 4 28</b>
4	32	4	<b>F1477 4 32</b>
4	36	4	<b>F1477 4 36</b>
4	40	4	<b>F1477 4 40</b>
4	45	4	<b>F1477 4 45</b>

# LINGUETTE AD INCASTRO

## Linguette ad incastro

- A norma DIN 6885 forma A
- In acciaio C 45 K grezzo




Lunghezza Base	Lunghezza	H	Art.
4	50	4	<b>F1477 4 50</b>
5	10	5	<b>F1477 5 510</b>
5	12	3	<b>F1477 5 12</b>
5	14	5	<b>F1477 5 514</b>
5	15	5	<b>F1477 5 515</b>
5	16	3	<b>F1477 5 16</b>
5	16	5	<b>F1477 5 516</b>
5	18	3	<b>F1477 5 318</b>
5	18	5	<b>F1477 5 518</b>
5	20	3	<b>F1477 5 20</b>
5	20	5	<b>F1477 5 520</b>
5	22	5	<b>F1477 5 522</b>
5	25	3	<b>F1477 5 25</b>
5	22	5	<b>F1477 5 525</b>
5	28	5	<b>F1477 5 528</b>
5	30	5	<b>F1477 5 530</b>
5	32	3	<b>F1477 5 32</b>
5	32	5	<b>F1477 5 532</b>
5	35	5	<b>F1477 5 535</b>
5	36	3	<b>F1477 5 36</b>
5	36	5	<b>F1477 5 536</b>
5	40	3	<b>F1477 5 340</b>
5	40	5	<b>F1477 5 540</b>
5	45	3	<b>F1477 5 45</b>
5	45	5	<b>F1477 5 545</b>
5	50	5	<b>F1477 5 550</b>
5	63	5	<b>F1477 5 563</b>
5	70	5	<b>F1477 5 570</b>

# LINGUETTE AD INCASTRO



## Linguette ad incastro

- A norma DIN 6885 forma A
- In acciaio C 45 K grezzo




Lunghezza Base	Lunghezza	H	Art.
5	80	5	<b>F1477 5 580</b>
5	85	5	<b>F1477 5 585</b>
6	8	4	<b>F1477 6 408</b>
6	12	6	<b>F1477 6 12</b>
6	14	6	<b>F1477 6 14</b>
6	15	6	<b>F1477 6 15</b>
6	16	6	<b>F1477 6 16</b>
6	18	4	<b>F1477 6 418</b>
6	18	6	<b>F1477 6 18</b>
6	20	4	<b>F1477 6 420</b>
6	20	6	<b>F1477 6 20</b>
6	22	6	<b>F1477 6 22</b>
6	25	4	<b>F1477 6 425</b>
6	25	6	<b>F1477 6 25</b>
6	28	4	<b>F1477 6 428</b>
6	28	6	<b>F1477 6 28</b>
6	30	6	<b>F1477 6 30</b>
6	32	4	<b>F1477 6 432</b>
6	32	6	<b>F1477 6 32</b>
6	35	6	<b>F1477 6 35</b>
6	36	4	<b>F1477 6 436</b>
6	36	6	<b>F1477 6 36</b>
6	40	4	<b>F1477 6 440</b>
6	40	6	<b>F1477 6 40</b>
6	45	4	<b>F1477 6 45</b>
6	50	4	<b>F1477 6 50</b>
6	56	4	<b>F1477 6 56</b>
6	60	4	<b>F1477 6 60</b>

# LINGUETTE AD INCASTRO



Linguette ad incastro
 

- A norma DIN 6885 forma A
- In acciaio C 45 K grezzo




Lunghezza Base	Lunghezza	H	Art.
6	63	4	F1477 6 63
6	70	4	F1477 6 70
6	80	4	F1477 6 80
6	100	4	F1477 64 100
6	100	6	F1477 6 100
6	120	6	F1477 6 120
6	160	6	F1477 6 160
6	220	6	F1477 6 220
8	20	5	F1477 8 520
8	22	5	F1477 8 522
8	25	5	F1477 8 525
8	28	5	F1477 8 528
8	32	5	F1477 8 532
8	36	5	F1477 8 536
8	40	5	F1477 8 540
8	45	5	F1477 8 545
8	50	5	F1477 8 550
8	56	5	F1477 8 556
8	16	7	F1477 87 16
8	18	7	F1477 87 18
8	20	7	F1477 87 20
8	22	7	F1477 87 22
8	25	7	F1477 87 25
8	28	7	F1477 87 28
8	30	7	F1477 87 30
8	30	8	F1477 8 830
8	32	7	F1477 87 32
8	35	7	F1477 87 35

# LINGUETTE AD INCASTRO

## Linguette ad incastro

- A norma DIN 6885 forma A
- In acciaio C 45 K grezzo




Lunghezza Base	Lunghezza	H	Art.
8	36	7	<b>F1477 87 36</b>
8	40	7	<b>F1477 87 40</b>
8	45	7	<b>F1477 87 45</b>
8	50	7	<b>F1477 87 50</b>
8	60	7	<b>F1477 87 60</b>
8	63	7	<b>F1477 87 63</b>
8	70	7	<b>F1477 87 70</b>
8	75	7	<b>F1477 87 75</b>
8	80	7	<b>F1477 87 80</b>
8	85	7	<b>F1477 87 85</b>
8	90	7	<b>F1477 87 90</b>
8	100	7	<b>F1477 87 100</b>
8	110	7	<b>F1477 87 110</b>
8	115	7	<b>F1477 87 115</b>
8	120	7	<b>F1477 87 120</b>
8	125	7	<b>F1477 87 125</b>
8	140	7	<b>F1477 87 140</b>
8	160	7	<b>F1477 87 160</b>
8	56	7	<b>F1447 87 56</b>
10	14	8	<b>F1477 10 14</b>
10	18	8	<b>F1477 10 18</b>
10	20	8	<b>F1477 10 20</b>
10	25	6	<b>F1477 106 25</b>
10	25	8	<b>F1477 10 25</b>
10	28	8	<b>F1477 10 28</b>
10	30	8	<b>F1477 10 30</b>
10	32	6	<b>F1477 106 32</b>
10	32	8	<b>F1477 10 32</b>

# LINGUETTE AD INCASTRO

## Linguette ad incastro

- A norma DIN 6885 forma A
- In acciaio C 45 K grezzo




Lunghezza Base	Lunghezza	H	Art.
10	35	8	<b>F1477 10 35</b>
10	36	6	<b>F1477 106 36</b>
10	36	8	<b>F1477 10 36</b>
10	40	6	<b>F1477 106 40</b>
10	40	8	<b>F1477 10 40</b>
10	40	10	<b>F1477 100 40</b>
10	45	6	<b>F1477 106 45</b>
10	45	8	<b>F1477 10 45</b>
10	50	6	<b>F1477 106 50</b>
10	50	8	<b>F1477 10 50</b>
10	56	6	<b>F1477 106 56</b>
10	56	8	<b>F1477 10 56</b>
10	60	8	<b>F1477 10 60</b>
10	63	8	<b>F1477 10 63</b>
10	70	8	<b>F1477 10 70</b>
10	75	8	<b>F1477 10 75</b>
10	80	8	<b>F1477 10 80</b>
10	90	8	<b>F1477 10 90</b>
10	100	8	<b>F1477 10 100</b>
10	110	8	<b>F1477 10 110</b>
10	120	8	<b>F1477 10 120</b>
10	130	8	<b>F1477 10 130</b>
10	140	8	<b>F1477 108 140</b>
12	20	8	<b>F1477 12 20</b>
12	25	8	<b>F1477 12 25</b>
12	28	8	<b>F1477 126 28</b>
12	32	8	<b>F1477 12 32</b>
12	36	8	<b>F1477 12 36</b>

# LINGUETTE AD INCASTRO



## Linguette ad incastro

- A norma DIN 6885 forma A
- In acciaio C 45 K grezzo




Lunghezza Base	Lunghezza	H	Art.
12	40	8	<b>F1477 12 40</b>
12	45	8	<b>F1477 12 45</b>
12	50	8	<b>F1477 12 50</b>
12	56	8	<b>F1477 12 56</b>
12	63	8	<b>F1477 12 63</b>
12	70	8	<b>F1477 12 70</b>
12	80	8	<b>F1477 12 80</b>
12	90	8	<b>F1477 12 90</b>
12	100	8	<b>F1477 12 100</b>
12	110	8	<b>F1477 12 110</b>
12	120	8	<b>F1477 12 120</b>
12	125	8	<b>F1477 12 125</b>
12	140	8	<b>F1477 12 140</b>
12	180	8	<b>F1477 12 180</b>
14	135	6	<b>F1477 146 135</b>
14	20	9	<b>F1477 14 20</b>
14	25	9	<b>F1477 14 25</b>
14	30	9	<b>F1477 14 30</b>
14	32	9	<b>F1477 14 32</b>
14	35	9	<b>F1477 14 35</b>
14	36	9	<b>F1477 14 36</b>
14	38	9	<b>F1477 14 38</b>
14	40	9	<b>F1477 14 40</b>
14	45	9	<b>F1477 14 45</b>
14	50	9	<b>F1477 14 50</b>
14	56	9	<b>F1477 14 56</b>
14	63	9	<b>F1477 14 63</b>
14	70	9	<b>F1477 14 70</b>

# LINGUETTE AD INCASTRO

## Linguette ad incastro

- A norma DIN 6885 forma A
- In acciaio C 45 K grezzo




Lunghezza Base	Lunghezza	H	Art.
14	80	9	<b>F1477 14 80</b>
14	85	8	<b>F1477 148 85</b>
14	85	9	<b>F1477 14 85</b>
14	90	9	<b>F1477 14 90</b>
14	100	9	<b>F1477 14 100</b>
14	110	9	<b>F1477 14 110</b>
14	125	9	<b>F1477 14 125</b>
14	140	9	<b>F1477 14 140</b>
14	150	9	<b>F1477 14 150</b>
14	160	9	<b>F1477 14 160</b>
14	180	9	<b>F1477 14 180</b>
16	40	10	<b>F1477 16 40</b>
16	45	10	<b>F1477 16 45</b>
16	50	10	<b>F1477 16 50</b>
16	55	10	<b>F1477 16 55</b>
16	56	10	<b>F1477 16 56</b>
16	63	10	<b>F1477 16 63</b>
16	70	10	<b>F1477 16 70</b>
16	90	10	<b>F1477 16 90</b>
16	100	10	<b>F1477 16 100</b>
16	110	10	<b>F1477 16 110</b>
16	120	10	<b>F1477 16 120</b>
16	125	10	<b>F1477 16 125</b>
16	140	10	<b>F1477 16 140</b>
16	200	10	<b>F1477 16 200</b>
16	80	10	<b>F1477 16 80</b>
16	36	7	<b>F1477 167 396</b>
18	25	11	<b>F1477 18 25</b>



# LINGUETTE AD INCASTRO

## Linguette ad incastro

- A norma DIN 6885 forma A
- In acciaio C 45 K grezzo




Lunghezza Base	Lunghezza	H	Art.
18	28	11	<b>F1477 18 28</b>
18	36	11	<b>F1477 18 36</b>
18	40	11	<b>F1477 18 40</b>
18	50	11	<b>F1477 18 50</b>
18	56	11	<b>F1477 18 56</b>
18	60	11	<b>F1477 18 60</b>
18	63	11	<b>F1477 18 63</b>
18	70	11	<b>F1477 18 70</b>
18	80	11	<b>F1477 18 80</b>
18	85	11	<b>F1477 18 85</b>
18	90	11	<b>F1477 18 90</b>
18	100	11	<b>F1477 18 100</b>
18	110	11	<b>F1477 18 110</b>
18	120	11	<b>F1477 18 120</b>
18	125	11	<b>F1477 18 125</b>
18	140	11	<b>F1477 18 140</b>
18	160	11	<b>F1477 18 160</b>
18	180	11	<b>F1477 18 180</b>
18	200	11	<b>F1477 18 200</b>
20	20	12	<b>F1477 20 40</b>
20	45	12	<b>F1477 20 45</b>
20	50	12	<b>F1477 20 50</b>
20	56	12	<b>F1477 20 56</b>
20	60	12	<b>F1477 20 60</b>
20	63	12	<b>F1477 20 63</b>
20	70	12	<b>F1477 20 70</b>
20	80	12	<b>F1477 20 80</b>
20	90	12	<b>F1477 20 90</b>

RIPRODUZIONE VIETATA, anche parziale La Fime s.r.l. non assume responsabilità per eventuali inesattezze nel contenuto di questo prospetto e si riserva il diritto di apportare eventuali modifiche ritenute opportune.

LINGUETTE AD INCASTRO

Linguette ad incastro
 

- A norma DIN 6885 forma A
- In acciaio C 45 K grezzo




Lunghezza Base	Lunghezza	H	Art.
20	100	12	F1477 20 100
20	110	12	F1477 20 110
20	125	12	F1477 20 125
20	130	12	F1477 20 130
20	140	12	F1477 20 140
20	150	12	F1477 20 150
20	160	12	F1477 20 160
20	180	12	F1477 20 180
20	190	12	F1477 20 190
20	200	12	F1477 20 200
20	250	12	F1477 20 25
22	50	9	F1477 229 50
22	100	9	F1477 229 100
22	56	14	F1477 22 56
22	63	14	F1477 22 63
22	70	14	F1477 22 70
22	80	14	F1477 22 80
22	90	14	F1477 22 90
22	100	14	F1477 22 100
22	110	14	F1477 22 110
22	125	14	F1477 22 125
22	140	14	F1477 22 140
22	150	14	F1477 22 150
22	180	14	F1477 22 180
22	200	14	F1477 22 200
22	220	14	F1477 22 220
25	60	14	F1477 25 60
25	63	14	F1477 25 63

# LINGUETTE AD INCASTRO

## Linguette ad incastro

- A norma DIN 6885 forma A
- In acciaio C 45 K grezzo




Lunghezza Base	Lunghezza	H	Art.
25	65	14	<b>F1477 25 65</b>
25	70	14	<b>F1477 25 70</b>
25	80	14	<b>F1477 25 80</b>
25	90	14	<b>F1477 25 90</b>
25	100	14	<b>F1477 25 100</b>
25	125	14	<b>F1477 25 125</b>
25	130	14	<b>F1477 25 130</b>
25	140	14	<b>F1477 25 140</b>
25	200	14	<b>F1477 25 200</b>
25	250	14	<b>F1477 25 250</b>
25	294	14	<b>F1477 25 294</b>
25	300	14	<b>F1477 25 300</b>
28	70	16	<b>F1477 28 70</b>
28	80	16	<b>F1477 28 80</b>
28	90	16	<b>F1477 28 90</b>
28	100	16	<b>F1477 28 100</b>
28	110	16	<b>F1477 28 110</b>
28	125	16	<b>F1477 28 125</b>
28	140	16	<b>F1477 28 140</b>
28	145	16	<b>F1477 28 145</b>
28	150	16	<b>F1477 28 150</b>
28	160	16	<b>F1477 28 160</b>
28	180	16	<b>F1477 28 180</b>
28	200	16	<b>F1477 28 200</b>
32	80	18	<b>F1477 32 80</b>
32	100	18	<b>F1477 32 100</b>
32	110	18	<b>F1477 32 110</b>
32	125	18	<b>F1477 32 125</b>

# LINGUETTE AD INCASTRO



Linguette ad incastro
 

- A norma DIN 6885 forma A
- In acciaio C 45 K grezzo



Lunghezza Base	Lunghezza	H	Art.
32	140	18	F1477 32 140
32	180	18	F1477 32 180
32	200	18	F1477 32 200
32	280	18	F1477 32 280
32	340	18	F1477 32 340
36	56	20	F1477 36 56
36	70	20	F1477 36 70
36	80	20	F1477 36 80
36	90	20	F1477 36 90
36	100	20	F1477 36 100
36	110	20	F1477 36 110
36	125	20	F1477 36 125
36	140	20	F1477 36 140
36	180	20	F1477 36 180
36	280	20	F1477 36 280
40	130	22	F1477 40 130
50	350	28	F1477 50 350
70	100	36	F1477 70 100