



VITI METRICHE A TESTA ESAGONALE




Viti metriche a testa esagonale con gambo rettificato e perno filettato lungo

- A norma DIN 609
- In acciaio 8.8
- Superficie testa: Nera
- Classe di tolleranza: K6




Ø	Lunghezza	Art.
m10	30	F0050 110 30
m10	35	F0050 110 35
m10	40	F0050 110 40
m10	50	F0050 110 50
m10	55	F0050 110 55
m10	60	F0050 110 60
m10	45	F0050 510 45
m10	50	F0050 510 50
m12	32	F0050 112 32
m12	35	F0050 112 35
m12	40	F0050 112 40
m12	45	F0050 112 45
m12	50	F0050 112 50
m12	55	F0050 112 55
m12	60	F0050 112 60
m12	70	F0050 112 70
m12	80	F0050 112 80
m12	90	F0050 112 90
m12	30	F0050 512 30
m12	40	F0050 512 40
m12	42	F0050 512 42
m12	45	F0050 512 45
m12	50	F0050 512 50
m12	60	F0050 512 60
m14	45	F0050 114 45
m14	50	F0050 114 50
m14	60	F0050 114 60
m16	40	F0050 116 40

VITI METRICHE A TESTA ESAGONALE




Viti metriche a testa esagonale con gambo rettificato e perno filettato lungo

- A norma DIN 609
- In acciaio 8.8
- Superficie testa: Nera
- Classe di tolleranza: K6




Ø	Lunghezza	Art.
m16	45	F0050 116 45
m16	50	F0050 116 50
m16	55	F0050 116 55
m16	60	F0050 116 60
m16	65	F0050 116 65
m16	70	F0050 116 70
m16	80	F0050 116 80
m16	85	F0050 116 85
m16	100	F0050 116 90
m16	100	F0050 116 100
m16	105	F0050 116 105
m16	120	F0050 116 120
m16	55	F0050 516 55
m16	60	F0050 516 60
m16	70	F0050 516 70
m16	80	F0050 516 80
m20	45	F0050 120 45
m20	50	F0050 120 50
m20	60	F0050 120 60
m20	70	F0050 120 70
m20	75	F0050 120 75
m20	80	F0050 120 80
m20	85	F0050 120 85
m20	90	F0050 120 90
m20	100	F0050 120 100
m20	110	F0050 120 110
m20	120	F0050 120 120
m20	50	F0050 520 50

VITI METRICHE A TESTA ESAGONALE




Viti metriche a testa esagonale con gambo rettificato e perno filettato lungo

- A norma DIN 609
- In acciaio 8.8
- Superficie testa: Nera
- Classe di tolleranza: K6




Ø	Lunghezza	Art.
m20	60	F0050 520 60
m20	65	F0050 520 65
m20	70	F0050 520 70
m20	75	F0050 520 75
m24	65	F0050 124 65
m24	70	F0050 124 70
m24	80	F0050 124 80
m24	90	F0050 124 90
m24	100	F0050 124 100
m24	110	F0050 124 110
m24	115	F0050 124 115
m24	120	F0050 124 120
m24	140	F0050 124 140
m24	150	F0050 124 150
m30	90	F0050 130 90
m30	100	F0050 130 100
m30	110	F0050 130 110
m8	25	F0050 108 25
m8	30	F0050 108 30
m8	35	F0050 108 35
m8	40	F0050 108 40
m8	45	F0050 108 45
m8	50	F0050 108 50
m8	60	F0050 108 60
m8	25	F0050 508 25
m8	30	F0050 508 30
m8	35	F0050 508 35
m8	40	F0050 508 40

VITI METRICHE A TESTA ESAGONALE



Viti metriche a testa esagonale con gambo rettificato e perno filettato lungo

- A norma DIN 609
- In acciaio 8.8
- Superficie testa: Nera
- Classe di tolleranza: K6



Ø	Lunghezza	Art.
m8	50	F0050 508 50

