


COPIGLIE DRITTE ZINCATE BIANCHE



Copiglie dritte

- A norma DIN 94
- In acciaio zincato bianco




| Ø | Lunghezza | Art. |
|-----|-----------|--------------------|
| 1 | 8 | F3471 1 8 |
| 1 | 20 | F3471 1 20 |
| 1,6 | 10 | F3471 15 10 |
| 1,6 | 16 | F3471 15 16 |
| 1,6 | 20 | F3471 15 20 |
| 1,6 | 25 | F3471 15 25 |
| 1,6 | 32 | F3471 15 32 |
| 2 | 12 | F3471 2 12 |
| 2 | 16 | F3471 2 16 |
| 2 | 20 | F3471 2 20 |
| 2 | 25 | F3471 2 25 |
| 2 | 32 | F3471 2 32 |
| 2 | 36 | F3471 2 36 |
| 2,5 | 12 | F3471 25 12 |
| 2,5 | 16 | F3471 25 16 |
| 2,5 | 20 | F3471 25 20 |
| 2,5 | 25 | F3471 25 25 |
| 2,5 | 32 | F3471 25 30 |
| 2,5 | 36 | F3471 25 36 |
| 2,5 | 45 | F3471 25 45 |
| 2,5 | 50 | F3471 25 50 |
| 3,2 | 16 | F3471 3 16 |
| 3,2 | 20 | F3471 3 20 |
| 3,2 | 25 | F3471 3 25 |
| 3,2 | 32 | F3471 3 32 |
| 3,2 | 36 | F3471 3 36 |
| 3,2 | 40 | F3471 3 40 |
| 3,2 | 45 | F3471 3 45 |

COPIGLIE DRITTE ZINCATE BIANCHE



Copiglie dritte

- A norma DIN 94
- In acciaio zincato bianco




| Ø | Lunghezza | Art. |
|-----|-----------|--------------------|
| 3,2 | 70 | F3471 3 70 |
| 3,2 | 56 | F3471 32 56 |
| 4 | 63 | F3471 4 60 |
| 4 | 20 | F3471 4 20 |
| 4 | 25 | F3471 4 25 |
| 4 | 28 | F3471 4 28 |
| 4 | 32 | F3471 4 32 |
| 4 | 36 | F3471 4 36 |
| 4 | 40 | F3471 4 40 |
| 4 | 45 | F3471 4 45 |
| 4 | 50 | F3471 4 50 |
| 4 | 56 | F3471 4 56 |
| 4 | 71 | F3471 4 71 |
| 4 | 80 | F3471 4 80 |
| 5 | 32 | F3471 5 32 |
| 5 | 36 | F3471 5 36 |
| 5 | 40 | F3471 5 40 |
| 5 | 45 | F3471 5 45 |
| 5 | 50 | F3471 5 50 |
| 5 | 56 | F3471 5 56 |
| 5 | 71 | F3471 5 71 |
| 5 | 80 | F3471 5 80 |
| 5 | 90 | F3471 5 90 |
| 5 | 100 | F3471 5 100 |
| 6,3 | 36 | F3471 6 36 |
| 6,3 | 40 | F3471 6 40 |
| 6,3 | 45 | F3471 6 45 |
| 6,3 | 50 | F3471 6 50 |

COPIGLIE DRITTE ZINCATE BIANCHE



Copiglie dritte

- A norma DIN 94
- In acciaio zincato bianco




| Ø | Lunghezza | Art. |
|-----|-----------|---------------------|
| 6,3 | 56 | F3471 6 56 |
| 6,3 | 60 | F3471 6 60 |
| 6,3 | 71 | F3471 6 71 |
| 6,3 | 80 | F3471 6 80 |
| 6,3 | 90 | F3471 6 90 |
| 8 | 36 | F3471 8 36 |
| 8 | 45 | F3471 8 45 |
| 8 | 50 | F3471 8 50 |
| 8 | 56 | F3471 8 56 |
| 8 | 63 | F3471 8 63 |
| 8 | 71 | F3471 8 71 |
| 8 | 80 | F3471 8 80 |
| 8 | 90 | F3471 8 90 |
| 8 | 100 | F3471 8 100 |
| 8 | 112 | F3471 8 112 |
| 8 | 125 | F3471 8 125 |
| 10 | 56 | F3471 10 56 |
| 10 | 63 | F3471 10 63 |
| 10 | 71 | F3471 10 71 |
| 10 | 80 | F3471 10 80 |
| 10 | 90 | F3471 10 90 |
| 10 | 100 | F3471 10 100 |
| 10 | 112 | F3471 10 112 |
| 10 | 125 | F3471 10 125 |
| 10 | 140 | F3471 10 140 |
| 12 | 12 | F3471 12 12 |
| 13 | 80 | F3471 13 80 |
| 13 | 100 | F3471 13 100 |

COPIGLIE DRITTE ZINCATE BIANCHE



- Copiglie dritte
- A norma DIN 94
 - In acciaio zincato bianco



| Ø | Lunghezza | Art. |
|----|-----------|--------------|
| 13 | 112 | F3471 13 112 |
| 13 | 125 | F3471 13 125 |
| 13 | 140 | F3471 13 140 |