


LINGUETTE AD INCASTRO

Linguette ad incastro

- A norma DIN 6885 forma A
- In acciaio C 45 K grezzo




Lunghezza Base	Lunghezza	H	Art.
2	8	2	F1477 2 8
2	12	2	F1477 2 12
3	8	3	F1477 3 8
3	10	3	F1477 3 10
3	12	3	F1477 3 12
3	14	3	F1477 3 14
3	16	3	F1477 3 16
3	20	3	F1477 3 20
3	25	3	F1477 3 25
3	32	3	F1477 3 32
3	36	3	F1477 3 36
4	8	4	F1477 4 8
4	10	4	F1477 4 10
4	12	4	F1477 4 12
4	14	4	F1477 4 14
4	16	4	F1477 4 16
4	18	4	F1477 4 18
4	20	4	F1477 4 20
4	22	4	F1477 4 22
4	25	4	F1477 4 25
4	28	4	F1477 4 28
4	32	4	F1477 4 32
4	40	4	F1477 4 40
4	50	4	F1477 4 50
5	10	5	F1477 5 510
5	14	5	F1477 5 514
5	15	5	F1477 5 515
5	16	5	F1477 5 516
5	18	5	F1477 5 518
5	20	5	F1477 5 520
5	22	5	F1477 5 522
5	25	3	F1477 5 25

LINGUETTE AD INCASTRO

Linguette ad incastro

- A norma DIN 6885 forma A
- In acciaio C 45 K grezzo




Lunghezza Base	Lunghezza	H	Art.
5	25	5	F1477 5 525
5	28	5	F1477 5 528
5	30	5	F1477 5 530
5	32	5	F1477 5 532
5	36	5	F1477 5 536
5	40	5	F1477 5 540
5	45	5	F1477 5 545
5	50	5	F1477 5 550
5	63	5	F1477 5 563
5	70	5	F1477 5 570
5	80	5	F1477 5 580
5	85	5	F1477 5 585
6	12	6	F1477 6 12
6	14	6	F1477 6 14
6	15	6	F1477 6 15
6	16	6	F1477 6 16
6	18	6	F1477 6 18
6	20	6	F1477 6 20
6	22	6	F1477 6 22
6	25	4	F1477 6 425
6	25	6	F1477 6 25
6	28	6	F1477 6 28
6	30	6	F1477 6 30
6	32	6	F1477 6 32
6	35	6	F1477 6 35
6	36	6	F1477 6 36
6	40	6	F1477 6 40
6	45	4	F1477 6 45
6	50	4	F1477 6 50
6	56	4	F1477 6 56
6	60	4	F1477 6 60
6	63	4	F1477 6 63

LINGUETTE AD INCASTRO

Linguette ad incastro

- A norma DIN 6885 forma A
- In acciaio C 45 K grezzo




Lunghezza Base	Lunghezza	H	Art.
6	70	4	F1477 6 70
6	80	4	F1477 6 80
6	100	6	F1477 6 100
6	120	6	F1477 6 120
8	20	5	F1477 8 520
8	40	5	F1477 8 540
8	50	5	F1477 8 550
8	16	7	F1477 87 16
8	18	7	F1477 87 18
8	20	7	F1477 87 20
8	22	7	F1477 87 22
8	25	7	F1477 87 25
8	28	7	F1477 87 28
8	30	7	F1477 87 30
8	30	8	F1477 8 830
8	32	7	F1477 87 32
8	35	7	F1477 87 35
8	36	7	F1477 87 36
8	40	7	F1477 87 40
8	45	7	F1477 87 45
8	50	7	F1477 87 50
8	60	7	F1477 87 60
8	63	7	F1477 87 63
8	70	7	F1477 87 70
8	75	7	F1477 87 75
8	80	7	F1477 87 80
8	90	7	F1477 87 90
8	100	7	F1477 87 100
8	110	7	F1477 87 110
8	115	7	F1477 87 115
8	120	7	F1477 87 120
8	140	7	F1477 87 140

LINGUETTE AD INCASTRO

Linguette ad incastro

- A norma DIN 6885 forma A
- In acciaio C 45 K grezzo




Lunghezza Base	Lunghezza	H	Art.
8	160	7	F1477 87 160
8	56	7	F1447 87 56
10	18	8	F1477 10 18
10	20	8	F1477 10 20
10	25	8	F1477 10 25
10	28	8	F1477 10 28
10	30	8	F1477 10 30
10	32	8	F1477 10 32
10	35	8	F1477 10 35
10	36	8	F1477 10 36
10	40	8	F1477 10 40
10	40	10	F1477 100 40
10	45	8	F1477 10 45
10	50	8	F1477 10 50
10	56	8	F1477 10 56
10	60	8	F1477 10 60
10	63	8	F1477 10 63
10	70	8	F1477 10 70
10	80	8	F1477 10 80
10	90	8	F1477 10 90
10	100	8	F1477 10 100
10	110	8	F1477 10 110
10	120	8	F1477 10 120
10	130	8	F1477 10 130
10	140	8	F1477 108 140
12	20	8	F1477 12 20
12	25	8	F1477 12 25
12	32	8	F1477 12 32
12	36	8	F1477 12 36
12	40	8	F1477 12 40
12	45	8	F1477 12 45
12	50	8	F1477 12 50

LINGUETTE AD INCASTRO

Linguette ad incastro

- A norma DIN 6885 forma A
- In acciaio C 45 K grezzo




Lunghezza Base	Lunghezza	H	Art.
12	56	8	F1477 12 56
12	63	8	F1477 12 63
12	70	8	F1477 12 70
12	80	8	F1477 12 80
12	90	8	F1477 12 90
12	100	8	F1477 12 100
12	110	8	F1477 12 110
12	120	8	F1477 12 120
12	125	8	F1477 12 125
12	140	8	F1477 12 140
12	180	8	F1477 12 180
14	30	9	F1477 14 30
14	32	9	F1477 14 32
14	36	9	F1477 14 36
14	40	9	F1477 14 40
14	45	9	F1477 14 45
14	50	9	F1477 14 50
14	56	9	F1477 14 56
14	63	9	F1477 14 63
14	70	9	F1477 14 70
14	80	9	F1477 14 80
14	90	9	F1477 14 90
14	100	9	F1477 14 100
14	110	9	F1477 14 110
14	125	9	F1477 14 125
14	140	9	F1477 14 140
14	160	9	F1477 14 160
14	180	9	F1477 14 180
16	40	10	F1477 16 40
16	45	10	F1477 16 45
16	50	10	F1477 16 50
16	56	10	F1477 16 56

LINGUETTE AD INCASTRO

Linguette ad incastro

- A norma DIN 6885 forma A
- In acciaio C 45 K grezzo




Lunghezza Base	Lunghezza	H	Art.
16	63	10	F1477 16 63
16	70	10	F1477 16 70
16	90	10	F1477 16 90
16	100	10	F1477 16 100
16	140	10	F1477 16 140
16	200	10	F1477 16 200
16	80	10	F1477 16 80
18	40	11	F1477 18 40
18	50	11	F1477 18 50
18	56	11	F1477 18 56
18	60	11	F1477 18 60
18	63	11	F1477 18 63
18	70	11	F1477 18 70
18	80	11	F1477 18 80
18	90	11	F1477 18 90
18	100	11	F1477 18 100
18	110	11	F1477 18 110
18	120	11	F1477 18 120
18	125	11	F1477 18 125
18	140	11	F1477 18 140
18	160	11	F1477 18 160
18	180	11	F1477 18 180
18	200	11	F1477 18 200
20	20	12	F1477 20 40
20	56	12	F1477 20 56
20	70	12	F1477 20 70
20	80	12	F1477 20 80
20	90	12	F1477 20 90
20	100	12	F1477 20 100
20	110	12	F1477 20 110
20	125	12	F1477 20 125
20	140	12	F1477 20 140

LINGUETTE AD INCASTRO

Linguette ad incastro

- A norma DIN 6885 forma A
- In acciaio C 45 K grezzo



Lunghezza Base	Lunghezza	H	Art.
20	160	12	F1477 20 160
20	200	12	F1477 20 200
20	250	12	F1477 20 25
22	63	14	F1477 22 63
22	80	14	F1477 22 80
22	90	14	F1477 22 90
22	100	14	F1477 22 100
22	110	14	F1477 22 110
22	125	14	F1477 22 125
22	140	14	F1477 22 140
22	180	14	F1477 22 180
22	200	14	F1477 22 200
25	70	14	F1477 25 70
25	80	14	F1477 25 80
25	100	14	F1477 25 100
25	125	14	F1477 25 125
25	140	14	F1477 25 140
25	250	14	F1477 25 250
28	100	16	F1477 28 100
28	110	16	F1477 28 110
28	125	16	F1477 28 125
28	140	16	F1477 28 140
28	160	16	F1477 28 160
28	180	16	F1477 28 180
28	200	16	F1477 28 200
32	110	18	F1477 32 110
32	125	18	F1477 32 125
32	180	18	F1477 32 180
32	280	18	F1477 32 280
70	100	36	F1477 70 100